S 19

HIGH-POWER BASS REFLEX SUBWOOFER



Description

S 19 is a high-power single 19" subwoofer suitable for RCF Installed Sound systems. The bass-reflex design ensures an efficient acoustic response down to 30 Hz. The high-quality plywood cabinet is finished with a black, heavy-duty polyurea coating and protected by a powder-coated metal grille. The recessed input panel features two Speakon NL4 connectors, allowing a quick and safe connection. A M20 pole mount adaptor on top of the cabinet and handles on both sides are provided. Both models can be ground-stacked and are cardioid-arrayable for improved rear rejection.

Features

› Up to 1500 W power handling
› 139 dB max SPL
› 30 ÷ 200 Hz frequency range
› 19" HyperVented Neodymium Woofer with 4'' v.c.
› High-quality polyurea-coated multi-ply cabinet
› Steel front grille with clothing
› Integrated M20 threaded pole mount on top
› Speakon NL4 connectors

Part Number


13100096 S 19

EAN 8024530021740

S 19

HIGH-POWER BASS REFLEX SUBWOOFER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB)	30 Hz - 200 Hz
	Max SPL @ 1m	139 dB
Power section	Amplification	Full Range
	Nominal Impedance	8 ohm
	Power Handling	1500 W
	Peak Power Handling	6000 W PEAK
Transducers	Woofer	1 x 19'' neo, 4.0'' v.c
Input/Output section	Input connectors	Speakon® NL4
	Output connectors	Speakon® NL4
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Plywood
	Handles	2 side
	Pole mount/Cap	M20 thread
	Grille	Steel with clothing
Size / Weight	Height	534 mm / 21.02 inches
	Width	650 mm / 25.59 inches
	Depth	730 mm / 28.74 inches
	Weight	44 kg / 97 lbs

ACCESSORIES

Rigging / Mounting

FLY BARS

13360676	FLB60676	Black	EAN 8024530024635

Rigging / Mounting

FLYING BRACKETS

13360673	FLB60673	Black	EAN 8024530024024
13360720	FLB60720	Black	EAN 8024530024956
13360742	FLB60742	Black	EAN 8024530024888