TT 08-A II

ACTIVE TWO-WAY HIGH DEFINITION SPEAKER



Description

The RCF TT08-A II is by far the smallest member of the TT+ family, whilst being the most flexible and powerful tool in its class. Perfect for live sound to playback and monitoring, corporate events and broadcast studios. Though remarkably compact and lightweight, the TT 08-A II offers an incredible maximum sound pressure level of 128 dB. Its performance efficiency is higher than many larger 10" speaker systems.

Features

› 128 dB SPL Max
› 1000W RMS, two-way Class-D amplifier
› Rotatable 90° x 70° constant directivity horn
› Quick Fit Bracket Socket
› FiRPHASE
› 8'' neodymium Woofers, 2.5'' voice coil
› Horn-loaded 1" neo comp. driver, 1,75'' voice coil
› RDNet Networked Management
› 60 ÷ 20000 Hz Frequency Range


Part Number

13000547 TT 08-A II	220-240 V	Black	EAN 8024530017118
13000558 TT 08-A II	115 V	Black	EAN 8024530017705

TT 08-A II

ACTIVE TWO-WAY HIGH DEFINITION SPEAKER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	65 Hz - 20000 Hz
	Max SPL @ 1m	128 dB
	Horizontal coverage angle	90°
	Vertical coverage angle	70°
Transducers	Compression Driver	1 x 1.0'' neo, 1.75'' v.c
	Woofer	1 x 8'' neo, 2.5'' v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR, RDNet Ethercon
	Output connectors	XLR, RDNet Ethercon
	Input sensitivity	-2 dBu/+4 dBu
Processor section	Crossover Frequencies	900 HZ
	Protections	Thermal, HF
	Limiter	Fast Limiter
	Controls	Bypass, Linear/High Pass, Volume, RDnet on boar
	RDNet	Onboard
Power section	Total Power	2000 W Peak, 1000 W RMS
	High frequencies	600 W Peak, 300 W RMS
	Low frequencies	1400 W Peak, 700 W RMS
	Cooling	Convection
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant

TT 08-A II

ACTIVE TWO-WAY HIGH DEFINITION SPEAKER

Physical specifications	Cabinet/Case Material	Baltic birch plywood
	Hardware	3X M10 TOP AND BOTTOM 2X PIN D.10 AND M10 SIDE
	Handles	1 TOP
	Grille	Steel
	Color	Black
Size / Weight	Height	450 mm / 17.72 inches
	Width	270 mm / 10.63 inches
	Depth	278 mm / 10.94 inches
	Weight	11 kg / 24.25 lbs

ACCESSORIES

Rigging / Mounting

FLOOR STANDS

13360109	AC PRO-FS	Black	EAN 8024530006471

FLYING BRACKETS

13360031	AC EB 4X		EAN 8024530018870

HORIZONTAL BRACKETS

13360399	027	Black	EAN 8024530016289

POLE MOUNT KITS

13360232	AC PMX		EAN 8024530010058
13360110	AC PRO-PM	Black	EAN 8024530006488
13360067	PM-KIT M20	Black	EAN 8024530014599

VERTICAL BRACKETS

13360400	026	Black	EAN 8024530016296

Protections

COVERS

13360403	CVR TT 08 II	Black	EAN 8024530016326

RAIN PROTECTIONS

13360689	RPR60689	Black	EAN 8024530022914

Cables

CABLES KIT

13360102	AC XLR 3M3F		EAN 8024530006402